


ワイドフリューム 農業土木型




目次
索引
製品写真
オリジナル擁壁
カルバート製品
道路用製品
環境保全製品
河川用製品
棒置管製品
フリーウム
農地用製品
大型水路
下水道製品
パイプ
その他取扱製品

標準型
(N型)



張出型
(NF型)



土地改良事業計画基準「水路工」に準拠した製品です。

※部材断面検討ケースⅡは除く。(土地改良事業計画基準「水路工」平成13年2月 P336参照)

呼び名 H	B	参考質量 (kg)	寸法 (mm)						型式
			b	c	d	d1	e	f	
500	300	374	250	420	60	-	85	65	N型
	400	405	350	520					
	500	436	450	620					
	600	466	550	720					
	700	497	650	820					
	800	587	750	920					
	900	618	850	1020					
600	400	462	350	542	60	-	95	65	N型
	500	493	450	642					
	600	524	550	742					
	700	554	650	842					
	800	585	750	942					
	900	688	850	1040					
	1000	719	950	1140					
700	400	586	350	562	70	-	105	75	N型
	500	621	450	662					
	600	656	550	762					
	700	692	650	862					
	800	727	750	962					
	900	762	850	1062					
	1000	911	950	1160					
	1100	947	1050	1260					
	1200	982	1150	1360					
	1300	1017	1250	1460					
800	500	731	450	672	75	-	110	80	N型
	600	769	550	772					
	700	806	650	872					
	800	844	750	972					
	900	882	850	1072					
	1000	1052	950	1170					
	1100	1090	1050	1270					
	1200	1126	1150	1370					
	1300	1165	1250	1470					
	1400	1203	1350	1570					
	1500	1240	1450	1670					
1600	1278	1550	1770						
800	1000	1052	950	1170	75	100	110	80	NF型
	1100	1090	1050	1270					

注) 設計の都度で確認及び係員にご相談ください。

呼び名		参考質量 (kg)	寸法 (mm)						型式					
H	B		b	c	d	d1	e	f						
900	500	910	450	682	80	-	115	95	N型					
	600	954	550	782										
	700	999	650	882										
	800	1044	750	982										
	900	1088	850	1082										
	1000	1133	950	1182										
	1000	1100	1348	1050	1280	85	110	120	105	NF型				
		1200	1393	1150	1380									
		1300	1438	1250	1480									
		1400	1482	1350	1580									
		1500	1527	1450	1680									
		1600	1572	1550	1780									
1700		1616	1650	1880										
1800		1661	1750	1980										
500		1025	450	692	90						-	130	110	N型
600		1074	550	792										
700		1123	650	892										
800		1173	750	992										
900	1222	850	1092											
1000	1271	950	1192											
1100	1530	1050	1290											
1200	1579	1150	1390											
1300	1628	1250	1490											
1400	1678	1350	1590											
1500	1727	1450	1690											
1600	1776	1550	1790											
1700	1826	1650	1890											
1800	1875	1750	1990											
1900	1921	1850	2090											
2000	1974	1950	2190											
1100	600	1187	550	812		90	150	130	110	NF型				
	700	1239	650	912										
	800	1290	750	1012										
	900	1345	850	1112										
	1000	1394	950	1212										
	1100	1446	1050	1312										
	1200	1753	1150	1410										
	1300	1805	1250	1510										
	1400	1857	1350	1610										
	1500	1908	1450	1710										
	1600	1960	1550	1810										
	1700	2012	1650	1910										
	1800	2063	1750	2010										
	1900	2115	1850	2110										
2000	2167	1950	2210											
2100	2219	2050	2310											
2200	2270	2150	2410											
1200	700	1330	650	935	90	180	140	110	NF型					
	800	1382	750	1035										
	900	1433	850	1135										
	1000	1485	950	1235										
	1100	1537	1050	1335										
	1200	1892	1150	1435										
	1300	1944	1250	1535										
	1400	1996	1350	1635										
	1500	2047	1450	1735										
	1600	2099	1550	1835										
	1700	2151	1650	1935										
	1800	2203	1750	2035										
	1900	2254	1850	2135										
	2000	2306	1950	2235										
	2100	2358	2050	2335										
	2200	2409	2150	2435										
	2300	2461	2250	2535										
	2400	2513	2350	2635										

注) 設計の都度ご確認及び係員にご相談ください。

目次
索引
製品写真
オリジナル擁壁
カルバート製品
道路用製品
環境保全製品
河川用製品
棒盤安産製品
フリー ヌム
農地用製品
大型水路
下水道製品
パイプ
その他取扱製品

呼び名		参考質量 (kg)	寸法 (mm)				型式		
H	B		b	c	d	d1		e	f
1300	800	1547	670	990	95	-	160	125	N 型
	900	1606	770	1090					
	1000	1665	870	1190					
	1100	1724	970	1290					
	1200	1782	1070	1390					
	1300	1841	1170	1490					
	1400	2299	1270	1590					
	1500	2358	1370	1690					
	1600	2416	1470	1790					
	1700	2475	1570	1890					
	1800	2501	1670	1990					
	1900	2593	1770	2090					
	2000	2651	1870	2190					
	2100	2710	1970	2290					
	2200	2769	2070	2390					
	2300	2828	2170	2490					
2400	2886	2270	2590						
2500	2945	2370	2690						
2600	3004	2470	2790						
1400	900	1664	760	1080	100	-	170	125	N 型
	1000	1725	860	1180					
	1100	1786	960	1280					
	1200	1847	1060	1380					
	1300	2381	1160	1480					
	1400	2445	1260	1580					
	1500	2509	1360	1680					
	1600	2573	1460	1780					
	1700	2637	1560	1880					
	1800	2701	1660	1980					
	1900	2765	1760	2080					
	2000	2829	1860	2180					
	2100	2893	1960	2280					
	2200	2957	2060	2380					
	2300	3021	2160	2480					
	2400	3085	2260	2580					
2500	3149	2360	2680						
2600	3213	2460	2780						
2700	3277	2560	2880						
2800	3341	2660	2980						
1500	900	1989	750	1100	110	-	185	140	N 型
	1000	2057	850	1200					
	1100	2125	950	1300					
	1200	2193	1050	1400					
	1300	2261	1150	1500					
	1400	2329	1250	1600					
	1500	2963	1350	1700					
	1600	3031	1450	1800					
	1700	3099	1550	1900					
	1800	3167	1650	2000					
	1900	3235	1750	2100					
	2000	3303	1850	2200					
	2100	3371	1950	2300					
	2200	3439	2050	2400					
	2300	3507	2150	2500					
	2400	3575	2250	2600					
	2500	3643	2350	2700					
	2600	3711	2450	2800					
	2700	3779	2550	2900					
2800	3847	2650	3000						
2900	3915	2750	3100						
3000	3983	2850	3200						

注) 設計の都度ご確認及び係員にご相談ください。